

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 0 | access with control\$5 with personal adj question and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 17:55 |
| L2 | 2 | "3695695".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 17:59 |
| L3 | 32 | password with personal adj question | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:00 |
| L4 | 11 | password with personal adj question and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:12 |
| L5 | 0 | (personal or privat\$5) adj question and password and random\$5 with category and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:13 |
| L6 | 0 | (personal or privat\$5) adj question and random\$5 with category and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:13 |
| L7 | 0 | (personal or privat\$5) adj question with category and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:13 |
| L8 | 0 | (personal or privat\$5) adj question with (kind or type) and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:13 |
| L9 | 4 | (personal or privat\$5) near2 question with (kind or type) and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:52 |
| L10 | 4 | 726/2,4,19,28,29,30.ccls. and (personal or private) near2 question and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:53 |
| L11 | 702 | 726/2,4,19,28,29,30.ccls. and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:53 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| L12 | 0 | 379/70,88.ccls. and personal adj question and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:53 |
| L13 | 0 | 379/70,88.ccls. and password near2 question and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:53 |
| L14 | 663 | 379/70,88.ccls. and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:54 |
| L16 | 474 | 340/825.ccls. and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:55 |
| L21 | 7 | 340/825.ccls. and password and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:55 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 0 | access with control\$5 with personal adj question and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 17:55 |
| L2 | 2 | "3695695".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 17:59 |
| L3 | 32 | password with personal adj question | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:00 |
| L4 | 11 | password with personal adj question and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:12 |
| L5 | 0 | (personal or privat\$5) adj question and password and random\$5 with category and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:13 |
| L6 | 0 | (personal or privat\$5) adj question and random\$5 with category and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:13 |
| L7 | 0 | (personal or privat\$5) adj question with category and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:13 |
| L8 | 0 | (personal or privat\$5) adj question with (kind or type) and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:13 |
| L9 | 4 | (personal or privat\$5) near2 question with (kind or type) and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | ON | 2006/03/02 18:13 |

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L4 | 5 | (US-5719560-\$ or US-6263447-\$ or US-5442342-\$ or US-6701322-\$ or US-6542583-\$).did. | USPAT | OR | OFF | 2004/12/15 17:50 |
| L5 | 3 | 4 and random | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/15 17:50 |
| L6 | 4 | 4 and random\$ | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/15 17:50 |
| S1 | 34 | password with question.ab. and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 14:03 |
| S2 | 6 | access with control\$3 with question with person\$ and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 14:08 |
| S3 | 7 | (personal or private) near2 question with password and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:15 |
| S4 | 1 | multiple adj choice with question with access and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:15 |
| S5 | 3 | multiple adj choice with question with authenticat\$ and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:18 |
| S6 | 5 | multiple adj choice with question with (verif\$ or validat\$) and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:19 |
| S7 | 1053 | question with (verif\$ or validat\$ or authenticat\$) and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:19 |
| S8 | 9 | (personal or private) near2 question with (verif\$ or validat\$ or authenticat\$) and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:20 |
| S9 | 6 | password with question with choice and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:31 |

| | | | | | | |
|-----|-----|---|------------------------------------|----|-----|------------------|
| S10 | 550 | question with choice and (access or authenticat\$ or verif\$) and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:31 |
| S11 | 88 | question with choice and (access or authenticat\$ or verif\$).ab. and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:32 |
| S12 | 21 | question with choice with (access or authenticat\$ or verif\$) and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:32 |
| S13 | 2 | (US-5719560-\$ or US-6263447-\$). did. | USPAT | OR | OFF | 2004/12/14 17:38 |
| S14 | 1 | S13 and multiple with choice | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:40 |
| S15 | 0 | generat\$ with (private or personal) near3 question\$4 with authenticat\$ and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:40 |
| S16 | 7 | (private or personal) near3 question\$4 with authenticat\$ and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:41 |
| S17 | 30 | (private or personal) near3 question\$4 with identif\$ and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:47 |
| S18 | 43 | (correct near2 choice) with (authenticat\$ or verif\$ or identif\$) and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:49 |
| S19 | 14 | (correct near2 choice) with (authenticat\$ or verif\$) and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:49 |
| S20 | 32 | (correct near2 choice) with identif\$ and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:49 |
| S21 | 0 | (correct near2 choice) with access near2 control\$4 and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:50 |
| S22 | 47 | (correct near2 choice) and access near2 control\$4 and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 17:59 |

| | | | | | | |
|-----|-----|---|------------------------------------|----|-----|------------------|
| S23 | 1 | choice with question with random\$ with category and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:02 |
| S24 | 0 | choice with question with category with authenticat\$ and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:02 |
| S25 | 5 | choice with question with authenticat\$ and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:03 |
| S26 | 4 | cue with authenticat\$ and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:03 |
| S27 | 10 | select\$3 with correct\$ with (answer or response or choice) with authenticat\$ and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:08 |
| S28 | 0 | authenticat\$ with category with question and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:09 |
| S29 | 195 | authenticat\$ with question and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:09 |
| S30 | 34 | authenticat\$ with question.ab. and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:20 |
| S31 | 6 | authenticat\$ with question with (multiple or plurality) and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:21 |
| S32 | 124 | select\$3 with question with category and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:21 |
| S33 | 10 | select\$3 with question with category with (person\$ or private) and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:23 |
| S34 | 12 | select\$3 with question with category with (identif\$) and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:23 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S35 | 55 | access adj control\$3 with question and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:24 |
| S36 | 6 | access adj control\$3 with question with (person\$ or private) and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:25 |
| S37 | 84 | (verif\$ or authenticat\$) near2 (user or person) with question and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:25 |
| S38 | 8 | (verif\$ or authenticat\$) near2 (user or person) with question with choice and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:32 |
| S39 | 217 | knowledge near2 base\$2 with (authenticat\$ or verif\$) and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:32 |
| S40 | 3 | knowledge near2 base\$2 with (authenticat\$ or verif\$) with question and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:33 |
| S41 | 7 | knowledge near2 base\$2 with (authenticat\$ or verif\$) with person\$ and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:33 |
| S42 | 27 | knowledge near2 base\$2 with (authenticat\$ or verif\$) with user and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:36 |
| S43 | 0 | random\$ near2 (choose or select) near2 (question) with authenticat\$ and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:37 |
| S44 | 0 | select\$3 near2 personal adj question with authenticat\$ and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:39 |
| S45 | 9 | multiple adj choice with authenticat\$ and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:41 |
| S46 | 0 | person with question with different near2 category and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:41 |

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S47 | 14 | person with question with category and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:42 |
| S48 | 55 | person with question with type and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:42 |
| S49 | 12 | person with question near type and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:42 |
| S50 | 9 | person with question near kind and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:43 |
| S51 | 29 | identity near question and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:43 |
| S52 | 80 | identification near question and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:44 |
| S53 | 1 | identification near question with authenticat\$ and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:44 |
| S54 | 1 | identification near question with choice and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:45 |
| S55 | 7 | identif\$ near question with choice and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:49 |
| S56 | 1400 | multiple adj choice and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:49 |
| S57 | 120 | multiple adj choice with identif\$ and @ad<="20001225" | US-PGPUB; USPAT; EPO; JPO; DERWENT | OR | OFF | 2004/12/14 18:49 |